# NOWERFUL

## LESS TRAUMA LESS DRAMA

PIEZOTOME



## FORCEPS

Mentioned by Aristotle in approx -350 BC, forceps introduce the beginning o extraction.

DESTRUCTION OF THE SOCKET

REQUIRES FORCE

REQUIRES

CROWN ACCESS

CAN CAUSE

FRACTURE

IMENT

Dental handpieces allowed a reduction of the force needed and easier access compared to forceps.

0

MANDATORY FLAP

DESTRUCTION

OF THE SOCKET

POST-OP COMPLICATIONS

NO TACTILE SENSE

FOR THE FIRST TIME, **ULTRASONIC SURGERY IS POWERFUL ENOUGH TO OFFER** AS ROTARY INSTRUMENTS BUT **MUCH SAFER!** 



## EXTRACTIONS AT THE SAME SPEED

in and





### cuts easier and with less pressure than other



### UNLEASH THE POWER OF PIEZOTOME®

## CUBE PROCEDURES



**PIEZOTOME®** ultrasonic surgery is guided by patented **NEWTRON®** technology. The handpiece and tips are perfectly tuned to ensure the best performance with unique clinical benefits, to tackle each surgery with confidence.

#### MODULATION

- Alternation between high and low intensity
- Soft tissue preservation with better tissue recovery and cell regeneration

Amplitude Piezotome modulation mode



EFFICACY

PRESERVATION

FREQUENCY

- Automatic adjustment 28-36kHz according to every tip's shape and weight
- Maximum performance for each procedure



Dynamic Power System Inside POWER INTUITIVELY ADAPTED FOR MAXIMUM EFFICIENCY & SAFETY

According to the resistance encountered, the **D.P.S.I.** smart assistance will:

Increase the power +30% improving cutting performance

#### Decrease the power -10% to be even safer on soft tissues





#### BONE SURGERY

**Osteotomy/Osteoplasty** Clean and thin cut for maximal bone volume grafts *Ref. F87509* 



#### SINUS LIFT Lateral Sinus Lift

Unbeatable comfort: selective and hemostatic cut *Ref. F87519* 



CROWN EXTENSION Crown Lengthening

Incomparable precision and accessibility *Ref. F87554* 



#### CREST SPLITTING

Rapid and minimally invasive technique for controlled ridge splitting *Ref. F87567* 



#### INTRALIFT<sup>™</sup> Crestal Sinus Lift

Minimally invasive surgery for smooth internal sinus elevation *Ref. F87536* 



**Accelerated Orthodontic Surgery** Minimal incisions, minimally invasive *Ref. F87576* 

## EXTRACTIONS: LESS TRAUMA, LESS DRAMA



Extractions can sometimes be difficult. With **PIEZOTOME<sup>®</sup> CUBE**, make them simple and less traumatic:

- Preserve more bone
- Faster healing •
- Less post-operative swelling
- Like a "powered periotome"







#### (TRACTION

**Syndesmotomy** For maximum bone preservation Ref. F87546

- Reduce the risk of buccal plate fracture • and other complications
- Increase bone preservation and extraction procedure predictability
- Tips follow the contour of teeth and bone

#### 1. Choose the appropriate tip according to the tooth location or root section





2. Activate the tip before its insertion. Use an up and down motion to help cool down the end of the tip\*

\*Very important!

#### 3. Gently move around the tooth until complete avulsion and extract the root in one piece











#### **5 TIPS FOR VIRTUALLY ANY** TOOTH IN ANY PATIENT





Courtesy of Pr. F. Louise

## CLINICAL BENEFITS AT EACH STAGE OF YOUR SURGERY

#### **INTRA-OPERATIVE**



- Cutting selectivity: soft tissue is preserved (nerves, membranes and arteries)
- Intraosseous temperature is under control



- Fine and consistent cut on all types of bone Minimal bone loss for less
- invasive procedure



- New automatic power control for smooth and effortless cut Easy bone access with •
  - exclusive tip designs



- Consistent irrigation flow
- Cavitation: microbubbles releasing oxygen has a hemostatic effect



**PIEZOTOME**<sup>®</sup> surgery is superior in atraumaticity and soft-tissue safety (...) No lesions of the mandible nerve were detected with **PIEZOTOME**<sup>®</sup> surgery.<sup>7</sup>



THE PIEZOTOME<sup>®</sup> produced the smallest increase in intraosseous temperature.<sup>®</sup>



86% of the patients were observed with no postsurgical swelling and 87% had no postsurgical pain.<sup>9</sup>





#### **POST-OPERATIVE**









- Predictable
- Fast recovery
- Bone densification





#### EQUIPMENT DELIVERED WITH

- 1 CUBE LED handpiece
- 1 torque wrench
- 1 multifunction foot pedal
- 1 irrigation bracket
- 1 handpiece holder
- 5 sterile, disposable irrigation lines
- 5 autoclavable irrigation clips

#### UNIT DIMENSIONS

- Length 9.8 in x Height 6.3 in x Depth 10.7 in - Weight: 7.7 lbs

#### FOOT PEDAL DIMENSIONS

- Length 6.8 in x Height 5.5 in x Depth 6.9 in

- Weight: 2.2 lbs

#### www.acteongroup.com

1. Shanghai Kou QiangYi Xue. Comparative study of complications among routine method, high speed turbine handpiece and piezosurgery device after extraction of impacted wisdom teeth. Shanghai Journal of Stomatology. 2012 Apr;21(2):208-10.

2. Troedhan A, Kurrek A, Wainwright M. Ultrasonic Piezotome surgery: it is a benefit for our patients and does it extend surgery time? A retrospective comparative study on the removal of 100 impacted mandibular 3rdmolars. Open Journal of Stomatology. 2011;1:179-184

3. Cicciù M, Bramanti E, Signorino F, Cicciù A, Sortino F. Experimental study on strength evaluation applied for teeth extraction: An in vivo study. Open Dental J. 2013;7:20-26. Published online 2013 Mar 8

4. Goyal M, Marya K, Jhamb A, Chawla S, Sonoo PR, Singh V, Aggarwal A. Comparative evaluation of surgical outcome after removal of impacted mandibular third molars using a Piezotome® or a conventional handpiece: a prospective study. British Journal of Oral and Maxillofacial Surgery. 2012;50:556–561

5. The most sold device according to "Global and Chinese Dental Surgical Ultrasonic Generator Industry", 2010-2020 Market Research Report" published by Prof Research, 2015

6. In vivo assessment of bone healing following PIEZOTOME ultrasonic instrumentation. J. Reside, E. Everett, R. Padilla, R. Arce, P. Miguez, N. Brodala, I. De Kok, S. Nares. Clinical Implant Dentistry and Related Research, June 2013

7. Ultrasonic PIEZOTOME® surgery: is it a benefit for our patients and does it extend surgery time? A retrospective comparative study on the removal of 100 impacted mandibular 3rd molar. A. Troedhan, A. Kurrek, M. Wainwright. Open Journal of Stomatology, 2011

8. Performance of ultrasonic devices for bone surgery and associated intraosseous temperature development. S. Harder, S. Wolfart, C. Mehl, M. Kern. The International Journal of Oral & Maxillofacial Implants, volume 24, number 3, 2009

9. The transcrestal hydrodynamic ultrasonic cavitational sinuslift: results of a 2-year prospective multicentre study on 404 patients, 446 sinuslift sites and 637 inserted implants. A. Troedhan, A. Kurrek, M. Wainwright, I. Schlichting, B. Fischak-Treitl, M. Ladentrog. Open Journal of Stomatology, 3, 2013

10. Tissue response during piezocision-assisted tooth movement: a histological study in rats. S. Dibart, C. Yee, J. Surmenian, J-D. Sebaoun, S. Baloul, E. Goguet-Surmenian, A. Kantarci. European Journal of Orthodontics, 36(4):457-64, 2014

MORE INVENTIVE LESS INVASIVE

124 Gaither Drive | Suite 140 Mount Laurel | NJ | 08054 | USA Tel. 1-800-289-6367 Fax. 1-856-222-4726 www.acteongroup.com info@acteonusa.com

